

Packing tables – PackMobil

Ideal for dynamic packaging processes

- Modular design – individual adaptation also possible retrospectively.
- Focus on ergonomics – everything within reach.
- Space-saving and well-organised storage.
- Quick and simple assembly – separate components must be assembled using the supplied screws.
- Full mobility – when fitted with castors for mobile applications at different workstations.



The flexibility to adapt and optimum working conditions ensure a simple and efficient process for packing goods for dispatch.

! **Note**
Load-bearing capacity per table 250 kg with evenly distributed load.

» Further accessories for the packing tables can be found on page 116.

1	Basic packing table model	55.786.200	6	Adjustable shelf	89.834.876
2	Trolley under workbench	54.341.000	7	Support rail pair	89.142.200
3	Roller container for material/waste	51.882.876	8	Support pillar	89.228.200
4	Leg incl. height adjustment	43.231.200	9	Paper roll holder	52.981.200
5	Perforated rear panel	89.040.876	10	Add-on cutting tool	52.577.000





Art. no. **55.793.200**
PackMobil 010
Anthracite grey (RAL 7016)



Art. no. **55.795.503**
PackMobil 020
Anthracite grey (RAL 7016)
Dove blue (NCS 4040)



Art. no. **55.799.503**
PackMobil 030
Anthracite grey (RAL 7016)
Dove blue (NCS 4040)

Mobile packing tables

Description	Width mm	Depth mm	Height mm	Top thickness mm	Load capacity kg	Art. no.
PackMobil 010						
1 resin top (pale grey)						
2 workbench leg assemblies						
1 crossbar						
1 push handle						
4 nylon castors with brake (Ø 100 mm)						
	1500	800	740–1090	40	400	55.793.200
PackMobil 020						
2 support pillars (RAL 7016)						
2 adjustable shelves, slotted, D: 300 mm (NCS S 4040-R70 B)						
10 dividers, D × H: 300 × 300 mm (NCS S 4040-R70 B)						
1 drawer cabinet (2 × 150 mm, 75 kg)						
1 resin top (pale grey)						
2 workbench leg assemblies						
1 crossbar						
1 perforated rear panel						
1 push handle						
4 nylon castors with brake (Ø 100 mm)						
	1500	800	1790–2140	40	400	55.795.503
PackMobil 030						
2 support pillars (RAL 7016)						
2 adjustable shelves, slotted, D: 300 mm (NCS S 4040-R70 B)						
10 dividers, D × H: 300 × 300 mm (NCS S 4040-R70 B)						
1 paper roll holder, height-adjustable (20 kg)						
1 horizontal cutter incl. table bracket, cutting width 1000 mm						
1 drawer cabinet (2 × 150 mm, 75 kg)						
1 resin top (pale grey)						
2 workbench leg assemblies						
1 crossbar						
1 perforated rear panel						
1 push handle						
4 nylon castors with brake (Ø 100 mm)						
	1500	800	1790–2140	40	400	55.799.503



Art. no. **55.786.200**
PackFix 100
Anthracite grey (RAL 7016)



Art. no. **55.789.503**
PackFix 200
Anthracite grey (RAL 7016)
Dove blue (NCS S 4040-R70 B)



Art. no. **51.845.503**
PackFix 300
Anthracite grey (RAL 7016)
Dove blue (NCS S 4040-R70 B)

Stationary packing tables

Description	Width mm	Depth mm	Height mm	Top thickness mm	Load capacity kg	Art. no.
PackFix 100						
1 resin top (similar to RAL 7035)	2000	800	740–1090	40	400	55.786.200
2 workbench leg assemblies						
1 support crossbar						
PackFix 200						
1 resin top (pale grey)	2000	800	1790–2140	40	400	55.789.503
2 workbench leg assemblies (RAL 7016)						
1 pair of support rails (RAL 7016)						
3 support pillars (RAL 7016)						
1 perforated rear panel, W × H 665 × 350 mm (NCS S 4040-R70 B)						
1 perforated rear panel, W × H 1330 × 350 mm (NCS S 4040-R70 B)						
2 slotted adjustable shelves, W × D 665 × 400 mm (NCS S 4040-R70 B)						
10 dividers, D × H 400 × 250 mm (NCS S 4040-R70 B)						
1 paper roll holder, height-adjustable (20 kg)						
1 horizontal cutter incl. table bracket, cutting width 1000 mm						
PackFix 300						
1 resin top (pale grey)	2000	800	1790–2140	40	400	51.845.503
2 workbench leg assemblies (RAL 7016)						
1 pair of support rails (RAL 7016)						
2 support pillars (RAL 7016)						
3 perforated rear panels, W × H 2000 × 350 mm (NCS S 4040-R70 B)						
2 slotted adjustable shelves, W × D 2000 × 400 mm (NCS S 4040-R70 B)						
10 dividers, D × H 400 × 250 mm (NCS S 4040-R70 B)						



Art. no. **55.787.503**
PackFix 400
Anthracite grey (RAL 7016)
Dove blue (NCS S 4040-R70 B)



Art. no. **51.826.503**
PackFix 500
Anthracite grey (RAL 7016)
Dove blue (NCS S 4040-R70 B)



Art. no. **55.788.503**
PackFix 600
Anthracite grey (RAL 7016)
Dove blue (NCS S 4040-R70 B)

Description	Width mm	Depth mm	Height mm	Top thickness mm	Load capacity kg	Art. no.
PackFix 400						
1 resin top (pale grey)						
2 workbench leg assemblies (RAL 7016)						
1 pair of support rails (RAL 7016)						
2 support pillars (RAL 7016)						
1 perforated rear panel, W × H 2000 × 350 mm (NCS S 4040-R70 B)	2000	800	1790–2140	40	400	55.787.503
1 adjustable shelf, slotted, W × D 2000 × 400 mm (NCS S 4040-R70 B)						
10 dividers, D × H 400 × 250 mm (NCS S 4040-R70 B)						
1 cutting stand under workbench, cutting width 750 mm						
1 stationary drawer cabinet, 3 drawers (2 × 200.1 × 100) 75 kg (RAL7016/NCS S 4040-R70 B)						
PackFix 500						
1 resin top (pale grey)						
2 workbench leg assemblies (RAL 7016)						
1 pair of support rails (RAL 7016)						
2 support pillars (RAL 7016)						
1 perforated rear panel, W × H 2000 × 350 mm (NCS S 4040-R70 B)	2000	800	1790–2140	40	400	51.826.503
1 adjustable shelf, slotted, W × D 2000 × 400 mm (NCS S 4040-R70 B)						
10 dividers, D × H 400 × 250 mm (NCS S 4040-R70 B)						
1 cutting stand under workbench, cutting width 750 mm						
1 rollboy, 3 drawers (2 × 150.1 × 200) 75 kg (RAL7016/NCS S 4040-R70 B)						
PackFix 600						
1 resin top (pale grey)						
2 workbench leg assemblies (RAL 7016)						
1 pair of support rails (RAL 7016)						
2 support pillars (RAL 7016)						
1 perforated rear panel, W × H 2000 × 350 mm (NCS S 4040-R70 B)	2000	800	1790–2140	40	400	55.788.503
1 adjustable shelf, slotted, W × D 2000 × 300 mm (NCS S 4040-R70 B)						
1 adjustable shelf, slotted, W × D 2000 × 400 mm (NCS S 4040-R70 B)						
10 dividers, D × H 400 × 250 mm (NCS S 4040-R70 B)						
1 hanging drawer cabinet, 1 drawer (1 × 150) 75 kg (RAL7016/NCS S 4040-R70 B)						

Accessories for packing tables


Width **605** × Depth **695** mm

3 drawers




Height mm	Colour	kg	Art. no.
800	Anthracite grey (RAL 7016) Dove grey (NCS S 4040-R70 B)	75	54.323.503

5 drawers



Height mm	Colour	kg	Art. no.
900	Anthracite grey (RAL 7016) Dove grey (NCS S 4040-R70 B)	75	82.590.503

1 drawers



Height mm	Colour	kg	Art. no.
800	Anthracite grey (RAL 7016) Dove grey (NCS S 4040-R70 B)	75	51.814.503

2 drawers



Height mm	Colour	kg	Art. no.
900	Anthracite grey (RAL 7016) Dove grey (NCS S 4040-R70 B)	75	51.824.503

3 drawers



Height mm	Colour	kg	Art. no.
792	Anthracite grey (RAL 7016) Dove grey (NCS S 4040-R70 B)	75	84.420.503

4 drawers



Height mm	Colour	kg	Art. no.
892	Anthracite grey (RAL 7016) Dove grey (NCS S 4040-R70 B)	75	51.608.503

Add-on cutting tool

For easy mounting on the edge of the table top, incl. fastening material.

Cutting width mm	Width mm	Depth mm	Height mm	Art. no.
750	1000	150	225	52.576.000
1000	1250	150	225	52.577.000
1250	1500	150	225	52.578.000



Trolley under workbench

For castors up to Ø 750 mm, castor weight max. 150 kg, with 4 swivel castors and 2 brake mechanisms.

Cutting width mm	Width mm	Depth mm	Height mm	Art. no.
750	1000	650	790	54.341.000



Vertical cutting stand

For castors up to Ø 700 mm, castor weight up to max. 150 kg, with 2 fixed castors.

Cutting width mm	Width mm	Depth mm	Height mm	Art. no.
500 – 1250	910	800	1660	52.291.000
500 – 1600	910	800	2010	52.299.000



Horizontal double cutting stand

For castors up to Ø 750 mm, castor weight up to max. 150 kg, 50 mm mounting spacing.

Cutting width mm	Width mm	Depth mm	Height mm	Art. no.
750	1000	890	1565	52.304.000



Cutting tool under workbench

For castors up to Ø 750 mm, castor weight up to max. 150 kg, outlet height 640 mm, with 4 swivel castors and 2 braking mechanisms.


Cutting width mm	Width mm	Depth mm	Height mm	Art. no.
750	1000	800	790	52.437.000



Accessories for cutting tool

Description

	Art. no.
Cutting trolley without knife	56.705.000
Knife for cutting trolley, round, 60 × 0.35 mm	56.676.000



» Further accessories for the rear panels can be found on page 122.

» LED – workstation lighting, page 106.